




















EINWANDIGES SCHORNSTEINSYSTEM TURBO NIKO STS KONDI B

BILD	ELEMENT	Ø DURCHMESSER (MM)					
	SYMBOL	NETTOPREIS (EUR)					
	Regenhaube	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-1	12,14	12,14	14,28	14,28	18,33	22,38
	Rosette	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-2	10,23	10,23	12,14	12,14	14,28	14,28
	Abdeckplatte	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-3	10,23	10,23	12,14	12,14	14,28	16,42
	Rohr L=1000	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-4	19,76	20,47	24,04	28,09	35,47	45
	Rohr L=500	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-5	12,61	13,57	15,71	18,33	23,09	29,28
	Rohr L=333	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-6	8,57	9,04	10,47	12,38	15,23	19,52
	Rohr L=250	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-7	6,42	6,66	7,85	9,04	11,66	14,52
	Rohr mit Kondensatablauf	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-8	21,66	22,38	26,19	30,71	38,80	49,04

	Rohr mit Messpunkt	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-9	19,76	20,47	23,80	27,85	35	44,52
	Stabilisierungsschelle	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-10	4,52	4,52	4,52	5,23	6,42	7,85
	T-Stück 90°	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-11	21,66	22,38	26,19	30,71	38,80	49,04
	T-Stück 90° mit Kondensatablauf	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-12	27,85	28,57	32,14	36,66	46,19	57,14
	T-Stück 90° mit Kondensatablauf + Adapter	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-13	31,90	32,61	36,42	40,71	52,14	64,52
	T-Stück 90° mit Kondensatablauf + Reduktionsadapter	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-14	31,90	32,61	36,42	40,71	52,14	64,52
	Bogen 90°	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-15	21,66	22,38	26,19	30,71	38,80	49,04

	Bogen 90° aufs Fundament	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-16	25,71	26,42	30,23	34,76	45	56,42
	Bogen 90° mit Adapter	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-17	25,71	26,42	30,23	34,76	45	56,42
	Bogen 15°, 30°, 45°	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-18	14,52	15	17,61	20,47	25,95	32,61
	Reduktionsfutter	D.60	D.80	D.100	D.125	D.150	D.180
	BSK-19	16,42	16,42	18,33	18,33	20,47	24,52