

























DOPPELWANDIGES TURBO LUFT-ABGASSYSTEM NIKO STS LUFT B

BILD	ELEMENT SYMBOL	Ø DURCHMESSER (MM)		
		NETTOPREIS (EUR)		
	Abgasleitung waagrecht	D.60/100	D.80/125	D.100/150
	BSL-1	37,85	38,80	45
	Abgasleitung senkrecht	D.60/100	D.80/125	D.100/150
	BSL-2	24,52	24,52	28,57
	Rosette	D.60/100	D.80/125	D.100/150
	BSL-3	12,14	12,14	14,28
	Abdeckplatte 0°	D.60/100	D.80/125	D.100/150
	BSL-4	10,23	10,23	12,14
	Dachübergang 5-45°	D.60/100	D.80/125	D.100/150
	BSL-5	26,42	28,57	30,71
	Rohr L=1000mm	D.60/100	D.80/125	D.100/150
	BSL-6	48,57	51,90	69,28
	Rohr L=500mm	D.60/100	D.80/125	D.100/150
	BSL-7	27,38	30,71	39,76
	Rohr L=333mm	D.60/100	D.80/125	D.100/150
	BSL-8	19,76	21,66	28,09
	Rohr L=250mm	D.60/100	D.80/125	D.100/150
	BSL-9	12,38	14,28	18,33

	Rohr mit Kondensatablauf	D.60/100	D.80/125	D.100/150
	BSL-10	25	28,09	35,95
	Rohr mit Messpunkt	D.60/100	D.80/125	D.100/150
	BSL-11	22,61	25,71	32,61
	Stabilisierungsschelle	D.60/100	D.80/125	D.100/150
	BSL-12	7,38		
	T-Stück 90°	D.60/100	D.80/125	D.100/150
	BSL-13	53,09	56,66	75,47
	T-Stück 90° mit Kondensatablauf	D.60/100	D.80/125	D.100/150
	BSL-14	69,28	73,09	91,90
	T-Stück 90° mit Kondensatablauf, Reduzierung	D.60/100	D.80/125	D.100/150
	BSL-15	76,42	80,47	100,95
	T-Stück 90° mit Revisionsdeckel unten	D.60/100	D.80/125	D.100/150
	BSL-16	69,28	73,09	91,90
	Bogen 90°	D.60/100	D.80/125	D.100/150
	BSL-17	53,09	56,66	75,47

	Bogen 90° mit Fundament	D.60/100	D.80/125	D.100/150
	BSL-18	58,33	62,38	83,09
	Bogen 15°, 30°, 45°	D.60/100	D.80/125	D.100/150
	BSL-19	35,47	37,85	50,23
	Universaladapter	D.60/100	D.80/125	D.100/150
	BSL-20	53,09	56,66	75,47
	Universaladapter, Reduzierung	D.60/100	D.80/125	D.100/150
	BSL-21	58,33	62,38	83,09
	Luftverteiler	D.60/100	D.80/125	D.100/150
	BSL-22	76,42	76,42	84,52
	Rosette rund	D.60/100	D.80/125	D.100/150
	BSL-23	12,14	12,14	14,28
	Reduzierungsfutter	D.60/100	D.80/125	D.100/150
	BSL-24	30,71	30,71	38,80